Contents to volume 328

Minireview

Biochemical events in naturally occurring forms of cell death (FEBS 12807) *L. Fesus* 1

Research Letters

Drastic reduction of the zinc- and magnesium-stimulated protein tyrosine kinase activities in Alzheimer's disease hippocampus (FEBS 12786) *A.V. Vener, M.V. Aksenova, G.S. Burbaeva* 6

Transcription and translation of inducible nitric oxide synthase in the pancreas of prediabetic BB rats (FEBS 12782) *R. Kleemann, H. Rothe, V. Kolb-Bachofen, Q.-w. Xie, C. Nathan, S. Martin, H. Kolb* 9

Detection of complex gangliosides in human amniotic fluid (FEBS 12788) *R. Rueda, K. Tabsh, S. Ladisch* 13

Spleen-derived growth factor, SDGF-3, is identified as keratinocyte growth factor (KGF) (FEBS 12789) *M. Suzuki, T. Itoh, H. Osada, J.S. Rubin, S.A. Aaronson, T. Suzuki, N. Koga, T. Saito, Y. Mitsui* 17

Molecular cloning of a cDNA encoding a novel small GTP-binding protein (FEBS 12791) *T. Koda, M. Kakinuma* 21

Proteolytic processing of the hepatocyte growth factor/scatter factor receptor by furin (FEBS 12790) *M. Komada, K. Hatsuzawa, S. Shibamoto, F. Ito, K. Nakayama, N. Kitamura* 25

Localization of an *O*-glycosylation site in the α-subunit of the human platelet integrin GPIIb/IIIa involved in Bak^a (HPA-3a) alloantigen expression (FEBS 12799) *J.J. Calvete, E. Muñiz-Diaz* 30

Expression of heterologous phosphofructokinase genes in yeast (FEBS 12792) *J.J. Heinisch* 35

A putative transcription factor binding to the upstream region of the *puf* operon in *Rhodobacter sphaeroides* (FEBS 12793) *H. Shimada, H. Ohta, T. Masuda, Y. Shioi, K.-i. Takamiya* 41

Evidence for stacking interactions between 5-mercurated polyuridylic acid and HIV-1 p7 nucleocapsid protein obtained by phosphorescence and optically detected magnetic resonance (ODMR) (FEBS 12794) *W.-C. Lam, A.H. Maki, J.R. Casas-Finet, J.W. Erickson, R.C. Sowder II, L.E. Henderson* 45

^{13}C NMR study of the mode of interaction in solution of the B fragment of staphylococcal protein A and the Fc fragments of mouse immunoglobulin G (FEBS 12795) *K. Kato, H. Gouda, W. Takaha, A. Yoshino, C. Matsunaga, Y. Arata* 49

Monensin and forskolin inhibit the transcription rate of sucrase–isomaltase but not the stability of its mRNA in Caco-2 cells (FEBS 12796) *I. Chantret, M. Lacasa, G. Chevalier, D. Swallow, M. Rousset* 55

Mast cell activation by pedicellarial toxin of sea urchin, *Toxopneustes pileolus* (FEBS 12797) *M. Takei, H. Nakagawa, K. Endo* 59

Characterization of a tropomyosin cDNA from the hydrozoan *Podocoryne carnea* (FEBS 12800) *C.D. Baader, V. Schmid, P. Schuchert* 63

Phosphatidic acid induces the respiratory burst of electropermeabilized human neutrophils by acting on a downstream step of protein kinase C (FEBS 12801) *T. Mitsuyama, K. Takeshige, S. Minakami* 67

The 100 kDa F-actin capping protein of *Dictyostelium* amoebae is a villin prototype ('protovillin') (FEBS 12798) *A. Hofmann, A.A. Noegel, L. Bomblies, F. Lottspeich, M. Schleicher* 71

The effect of local anaesthetics on the ryanodine receptor/Ca^{2+} release channel of brain microsomal membranes (FEBS 12780) *C. Martin, R. Ashley, V. Shoshan-Barmatz* 77

Endothelin–receptor interactions: Role of a putative sulfhydryl on the endothelin receptor (FEBS 12803) *M.J. Spinella, R. Kottke, H.I. Magazine, M.S. Healy, J.A. Catena, P. Wilken, T.T. Andersen* 82

Proper processing of a G protein γ subunit depends on complex formation with a β subunit (FEBS 12805) *A.N. Pronin, N. Gautam* 89

Regulation by growth factors (IGF-I, b-FGF and TGF-β) of proto-oncogene mRNA, growth and differentiation of bovine adrenocortical fasciculata cells (FEBS 12806) *I. Viard, C. Jaillard, J.M. Saez* 94

The relationships between transketolase, yeast pyruvate decarboxylase and pyruvate dehydrogenase of the pyruvate dehydrogenase complex (FEBS 12804) *B.H. Robinson, K. Chun* 99

Chelatable iron and copper can be released from extracorporeally circulated blood during cardiopulmonary bypass (FEBS 12808) *N.E. Moat, T.E. Evans, G.J. Quinlan, J.M.C. Gutteridge* 103

The specificity of the S_1' subsite of cysteine proteases (FEBS 12812) *R. Ménard, E. Carmona, C. Plouffe, D. Brömme, Y. Konishi, J. Lefebvre, A.C. Storer* 107

Determination of a functional lysine residue of a plant cysteine synthase by site-directed mutagenesis, and the molecular evolutionary implications (FEBS 12810) *K. Saito, M. Kurosawa, I. Murakoshi* 111

Site-directed mutagenesis of the tick-borne encephalitis virus NS3 gene reveals the putative serine protease domain of the NS3 protein (FEBS 12811) *K.V. Pugachev, N.Y. Nomokonova, E.Y. Dobrikova, Y.I. Wolf* 115

Zonation of glucokinase in rat liver changes during postnatal development (FEBS 12735) *G. Kirchner, M. Harbers, A. Bünsch, H.-J. Seitz, W. Höppner* 119

Mutation-spectrum of a true abasic site in codon 12 of a c-Ha-*ras* gene in mammalian cells (FEBS 12813) *H. Kamiya, M. Suzuki, E. Ohtsuka* 125

Cloning and functional expression in *Escherichia coli* of a cyanobacterial gene for lycopene cyclase, the enzyme that catalyzes the biosynthesis of β-carotene (FEBS 12819) *F.X. Cunningham Jr, D. Chamovitz, N. Misawa, E. Gantt, J. Hirschberg* 130

Molecular cloning and developmental expression of human cardiac troponin T (FEBS 12814) *L. Mesnard, F. Samson, I. Espinasse, J. Durand, J.-Y. Neveux, J.-J. Mercadier* 139

The regulation of gene expression by insulin is differentially impaired in the liver of the genetically obese-hyperglycemic Wistar fatty rat (FEBS 12815) *T. Noguchi, T. Matsuda, Y. Tomari, K. Yamada, E. Imai, Z. Wang, H. Ikeda, T. Tanaka* 145

Latency is the major determinant of UDP-glucuronosyltransferase activity in isolated hepatocytes (FEBS 12817) *G. Bánhegyi, T. Garzó, R. Fulceri, A. Benedetti, J. Mandl* 149

The C-terminal domain of yeast cytochrome *b* is essential for a correct assembly of the mitochondrial cytochrome bc_1 complex (FEBS 12818) *J.-P. di Rago, C. Macadre, J. Lazowska, P.P. Slonimski* 153

Cyclic disulfide model of the major antigenic site of serotype-C foot-and-mouth disease virus: Synthetic, conformational and immunochemical studies (FEBS 12820) *J.A. Camarero, D. Andreu, J.J. Cairó, M.G. Mateu, E. Domingo, E. Giralt* 159

The structure of the complex between avidin and the dye, 2-(4′-hydroxyazobenzene) benzoic acid (HABA) (FEBS 12654) *O. Livnah, E.A. Bayer, M. Wilchek, J.L. Sussman* 165

Published by Elsevier Science Publishers B.V.

Purification of the β product encoded by the *Streptococcus pyogenes* plasmid pSM19035: A putative DNA recombinase required to resolve plasmid oligomers (FEBS 12821) *F. Rojo, F. Weise, J.C. Alonso* 169
Characterization of a membrane-associated, receptor and G-protein responsive phosphoinositide-specific phospholipase C from avian erythrocytes (FEBS 12823) *F. Ruiz-Larrea, C.P. Berrie* 174
Translation and fates of the gag protein of 1731, a *Drosophila melanogaster* retrotransposon (FEBS 12822) *M.-H. Kim, C. Coulondre, S. Champion, J. Lacoste, M. Best-Belpomme, C. Maisonhaute* 183
Metal as a novel type of the enzyme substrate: Metallic cadmium photogenerated in the system CdS-formate as a substrate of the NAD-dependent hydrogenase (FEBS 12824) *I.A. Shumilin, V.V. Nikandrov, A.A. Krasnovsky†, V.O. Popov* 189
Nucleotide/H^+-dependent change in Mg^{2+} affinity at the ATPase inhibitory site of the mitochondrial F_1-F_0 ATP synthase (FEBS 12825) *V.V. Bulygin, A.V. Syroeshkin, A.D. Vinogradov* 193
Dp71, the nonmuscle product of the Duchenne muscular dystrophy gene is associated with the cell membrane (FEBS 12826) *D. Rapaport, D.S. Greenberg, M. Tal, D. Yaffe, U. Nudel* 197
PDI and glutathione-mediated reduction of the glutathionylated variant of human lysozyme (FEBS 12827) *T. Hayano, K. Inaka, M. Otsu, Y. Taniyama, K. Miki, M. Matsushima, M. Kikuchi* 203
Osteoblast-like cells have a variable mixed population of purino/nucleotide receptors (FEBS 12828) *H. Yu, J. Ferrier* 209
In vitro phosphorylation of purified tobacco-leaf phospho*enol*-pyruvate carboxylase (FEBS 12829) *Y.-H. Wang, R. Chollet* 215

FEBS NEWS 219

Hypothesis

Enzymatic catalysis as a process controlled by protein conformational relaxation (FEBS 12842) *M. Kurzyński* 221

Research Letters

Rapid alteration of c-*myc* and c-*jun* expression in leukemic cells induced to differentiate by a butyric acid prodrug (FEBS 12802) *E. Rabizadeh, M. Shaklai, A. Nudelman, L. Eisenbach, A. Rephaeli* 225
Cytoplasmic triacylglycerols and cholesteryl esters are degraded in two separate catabolic pools in cultured human fibroblasts (FEBS 12831) *N. Hilaire, A. Nègre-Salvayre, R. Salvayre* 230
Cephalopod alcohol dehydrogenase: purification and enzymatic characterization (FEBS 12809) *M.R. Fernández, H. Jörnvall, A. Moreno, R. Kaiser, X. Parés* 235
Identification of a second membrane-active 13-residue peptide segment in the antimicrobial protein, bovine seminalplasmin (FEBS 12830) *N. Sitaram, C. Subbalakshmi, R. Nagaraj* 239
Cis-acting elements in the promoter region of the human aldolase C gene (FEBS 12832) *P. Buono, L. de Conciliis, E. Olivetta, P. Izzo, F. Salvatore* 243
Endotoxin induces rat lung ribonuclease activity (FEBS 12836) *L.B. Clerch, A. Wright, D. Massaro* 250
Expression of β subunit isoforms of the Na^+,K^+-ATPase is muscle type-specific (FEBS 12833) *H.S. Hundal, A. Marette, T. Ramlal, Z. Liu, A. Klip* 253
Novel surface functional properties of polymannosyl lysozyme constructed by genetic modification (FEBS 12834) *S. Nakamura, K. Kobayashi, A. Kato* 259
Stimulated decay of superoxide caused by ferritin-bound copper (FEBS 12835) *B.J. Bolann, R.J. Ulvik* 263
IL-4 and IL-13 exhibit comparable abilities to reduce pyrogen-induced expression of procoagulant activity in endothelial cells and monocytes (FEBS 12838) *J.M. Herbert, P. Savi, M.-Cl. Laplace, A. Lalé, F. Dol, A. Dumas, C. Labit, A. Minty* 268
Changes in the expression of guanine nucleotide-binding proteins during differentiation of 3T3-F442A cells in a hormonally defined medium (FEBS 12837) *E. Kilgour, N.G. Anderson* 271
A left-handed crossover involved in amidohydrolase catalysis: Crystal structure of *Erwinia chrysanthemi* L-asparaginase with bound L-aspartate (FEBS 12839) *M. Miller, J.K.M. Rao, A. Wlodawer, M.R. Gribskov* 275
Possible role of Na^+ influx in phorbol ester-induced down-regulation of protein kinase C in HL60 cells (FEBS 12841) *N. Takeuchi, E. Hashimoto, T. Nakamura, F. Takeuchi, K. Sada, H. Yamamura* 280
Determination of the disulphide bridge arrangement of bovine histidine-rich glycoprotein (FEBS 12840) *C.B. Sørensen, H. Krogh-Pedersen, T.E. Petersen* 285
Properties of α_1-antitrypsin secreted by human adenocarcinoma cell lines (FEBS 12843) *H. Kataoka, K. Seguchi, T. Inoue, M. Koono* 291
Strontium binding to sarcoplasmic reticulum Ca^{2+}-ATPase: Spectroscopic differentiation of the substeps involved (FEBS 12844) *S. Orlowski, P. Champeil* 296
Effects of anions on the Ca^{2+}, H^+ and electrical gradients formed by the sarcoplasmic reticulum ATPase in reconstituted proteoliposomes (FEBS 12845) *X. Yu, G. Inesi* 301

Author Index to Volume 328 305

Contents to Volume 328 309